



**ABchimie6028UV**  
**UV thixotropic resin**

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

- 1.1 Product identifier:** ABchimie6028UV  
UV thixotropic resin
- Other means of identification:**
- UFI:** Y220-Q0TQ-A00U-1F8H
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Relevant uses (Industrial user): Resin  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**  
ABchimie  
1230, route de la porte ZA La Rivoire  
38630 CORBELIN - FRANCE  
Phone: 04.74.83.12.19 - Fax: 04.74.83.68.62  
info@abchimie.com  
www.abchimie.com
- 1.4 Emergency telephone number:** 112  
ORFILA (INRS) : + 33 (0)1 45 42 59 59 (Francais)

**SECTION 2: HAZARDS IDENTIFICATION \*\***

- 2.1 Classification of the substance or mixture:**  
**CLP Regulation (EC) No 1272/2008:**  
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.  
Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400  
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard, Category 1, H410  
Eye Irrit. 2: Eye irritation, Category 2, H319  
Skin Sens. 1A: Sensitisation, skin, Category 1A, H317
- 2.2 Label elements:**  
**CLP Regulation (EC) No 1272/2008:**  
**Warning**  
  
**Hazard statements:**  
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.  
Eye Irrit. 2: H319 - Causes serious eye irritation.  
Skin Sens. 1A: H317 - May cause an allergic skin reaction.  
**Precautionary statements:**  
P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection/protective footwear.  
P333+P313: If skin irritation or rash occurs: Get medical advice/attention.  
P363: Wash contaminated clothing before reuse.  
P391: Collect spillage.  
P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.  
**Supplementary information:**  
Contains Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate, Propylidynetrimethanol, ethoxylated, esters with acrylic acid, 2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide, phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide, 2-hydroxyethyl acrylate.  
**UFI:** Y220-Q0TQ-A00U-1F8H
- 2.3 Other hazards:**  
Product does not meet PBT/vPvB criteria  
Endocrine-disrupting properties: The product does not meet the criteria.

\*\* Changes with regards to the previous version

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -



**ABchimie6028UV**  
**UV thixotropic resin**

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\***

**3.1 Substance:**

Not relevant

**3.2 Mixture:**

**Chemical description:** Mixture composed of additives and acrylic oligomers

**Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification                                                                            | Chemical name/Classification                                                                                              |                                                                                                                                                                                   | Concentration |
|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| CAS: 5888-33-5<br>EC: 227-561-6<br>Index: 607-756-00-6<br>REACH: 01-2119957862-25-XXXX    | Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate <sup>(1)</sup> Self-classified                                        |                                                                                                                                                                                   | 25 - <50 %    |
|                                                                                           | Regulation 1272/2008                                                                                                      | Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1A: H317 - Warning                  |               |
| CAS: 28961-43-5<br>EC: 500-066-5<br>Index: Not relevant<br>REACH: 01-2119489900-30-XXXX   | Propylidynetrimethanol, ethoxylated, esters with acrylic acid <sup>(1)</sup> Self-classified                              |                                                                                                                                                                                   | 1 - <2,5 %    |
|                                                                                           | Regulation 1272/2008                                                                                                      | Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Sens. 1: H317 - Warning                      |               |
| CAS: 1187441-10-6<br>EC: 810-703-1<br>Index: Not relevant<br>REACH: 01-2120140608-57-XXXX | 2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide <sup>(1)</sup> Self-classified |                                                                                                                                                                                   | 1 - <2,5 %    |
|                                                                                           | Regulation 1272/2008                                                                                                      | Eye Dam. 1: H318; Skin Sens. 1B: H317 - Danger                                                 |               |
| CAS: 3470-98-2<br>EC: 222-437-8<br>Index: Not relevant<br>REACH: 01-2120062728-48-XXXX    | 1-butylpyrrolidin-2-one <sup>(1)</sup> Self-classified                                                                    |                                                                                                                                                                                   | 1 - <2,5 %    |
|                                                                                           | Regulation 1272/2008                                                                                                      | Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning                          |               |
| CAS: 7473-98-5<br>EC: 231-272-0<br>Index: Not relevant<br>REACH: 01-2119472306-39-XXXX    | 2-hydroxy-2-methylpropiophenone <sup>(1)</sup> Self-classified                                                            |                                                                                                                                                                                   | 1 - <2,5 %    |
|                                                                                           | Regulation 1272/2008                                                                                                      | Acute Tox. 4: H302; Aquatic Chronic 3: H412 - Warning                                        |               |
| CAS: 162881-26-7<br>EC: 423-340-5<br>Index: 015-189-00-5<br>REACH: 01-2119489401-38-XXXX  | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide <sup>(1)</sup> ATP ATP14                                               |                                                                                                                                                                                   | 0,1 - <1 %    |
|                                                                                           | Regulation 1272/2008                                                                                                      | Aquatic Chronic 4: H413; Skin Sens. 1A: H317 - Warning                                       |               |
| CAS: 79-92-5<br>EC: 201-234-8<br>Index: Not relevant<br>REACH: 01-2119446293-40-XXXX      | Camphene <sup>(1)</sup> Self-classified                                                                                   |                                                                                                                                                                                   | 0,1 - <1 %    |
|                                                                                           | Regulation 1272/2008                                                                                                      | Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Flam. Sol. 2: H228 - Warning                    |               |
| CAS: 818-61-1<br>EC: 212-454-9<br>Index: 607-072-00-8<br>REACH: 01-2119459345-34-XXXX     | 2-hydroxyethyl acrylate <sup>(1)</sup> ATP CLP00                                                                          |                                                                                                                                                                                   | <0,1 %        |
|                                                                                           | Regulation 1272/2008                                                                                                      | Acute Tox. 3: H311; Aquatic Acute 1: H400; Skin Corr. 1B: H314; Skin Sens. 1: H317 - Danger  |               |

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Other information:**

| Identification                                            | Specific concentration limit       |
|-----------------------------------------------------------|------------------------------------|
| 2-hydroxyethyl acrylate<br>CAS: 818-61-1<br>EC: 212-454-9 | % (w/w) >=0,2: Skin Sens. 1 - H317 |

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

| Identification                                                     | Acute toxicity         |              | Genus |
|--------------------------------------------------------------------|------------------------|--------------|-------|
| 1-butylpyrrolidin-2-one<br>CAS: 3470-98-2<br>EC: 222-437-8         | LD50 oral              | 500 mg/kg    |       |
|                                                                    | LD50 dermal            | Not relevant |       |
|                                                                    | LC50 inhalation vapour | Not relevant |       |
| 2-hydroxy-2-methylpropiophenone<br>CAS: 7473-98-5<br>EC: 231-272-0 | LD50 oral              | 1694 mg/kg   | Rat   |
|                                                                    | LD50 dermal            | Not relevant |       |
|                                                                    | LC50 inhalation vapour | Not relevant |       |



**ABchimie6028UV**  
**UV thixotropic resin**

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\* (continued)**

| Identification                                            | Acute toxicity         |              | Genus  |
|-----------------------------------------------------------|------------------------|--------------|--------|
| 2-hydroxyethyl acrylate<br>CAS: 818-61-1<br>EC: 212-454-9 | LD50 oral              | Not relevant |        |
|                                                           | LD50 dermal            | 300 mg/kg    | Rabbit |
|                                                           | LC50 inhalation vapour | Not relevant |        |

\*\* Changes with regards to the previous version

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

**By skin contact:**

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters), seek medical advice with this Safety Data Sheet

**By eye contact:**

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Not relevant

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media:**

**Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

**Unsuitable extinguishing media:**

Non-applicable

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures:**

**For non-emergency personnel:**

- CONTINUED ON NEXT PAGE -

**ABchimie6028UV**  
**UV thixotropic resin**



## SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

**For emergency responders:**

Wear protective equipment. Keep unprotected persons away. See section 8.

### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

#### A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

#### B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

#### C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

#### D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

### 7.2 Conditions for safe storage, including any incompatibilities:

#### A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

#### B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

#### DNEL (Workers):

- CONTINUED ON NEXT PAGE -



**ABchimie6028UV**  
**UV thioxotropic resin**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Identification                                                                                                                   |            | Short exposure |              | Long exposure |              |
|----------------------------------------------------------------------------------------------------------------------------------|------------|----------------|--------------|---------------|--------------|
|                                                                                                                                  |            | Systemic       | Local        | Systemic      | Local        |
| Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate<br>CAS: 5888-33-5<br>EC: 227-561-6                                           | Oral       | Not relevant   | Not relevant | Not relevant  | Not relevant |
|                                                                                                                                  | Dermal     | Not relevant   | Not relevant | 1,39 mg/kg    | Not relevant |
|                                                                                                                                  | Inhalation | Not relevant   | Not relevant | 4,9 mg/m³     | Not relevant |
| Propylidynetrimethanol, ethoxylated, esters with acrylic acid<br>CAS: 28961-43-5<br>EC: 500-066-5                                | Oral       | Not relevant   | Not relevant | Not relevant  | Not relevant |
|                                                                                                                                  | Dermal     | Not relevant   | Not relevant | 0,8 mg/kg     | Not relevant |
|                                                                                                                                  | Inhalation | Not relevant   | Not relevant | 16,2 mg/m³    | Not relevant |
| 2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide<br>CAS: 1187441-10-6<br>EC: 810-703-1 | Oral       | Not relevant   | Not relevant | Not relevant  | Not relevant |
|                                                                                                                                  | Dermal     | Not relevant   | Not relevant | 1 mg/kg       | Not relevant |
|                                                                                                                                  | Inhalation | Not relevant   | Not relevant | 7,05 mg/m³    | Not relevant |
| 1-butylpyrrolidin-2-one<br>CAS: 3470-98-2<br>EC: 222-437-8                                                                       | Oral       | Not relevant   | Not relevant | Not relevant  | Not relevant |
|                                                                                                                                  | Dermal     | Not relevant   | Not relevant | 10 mg/kg      | Not relevant |
|                                                                                                                                  | Inhalation | Not relevant   | Not relevant | 24,1 mg/m³    | Not relevant |
| 2-hydroxy-2-methylpropiophenone<br>CAS: 7473-98-5<br>EC: 231-272-0                                                               | Oral       | Not relevant   | Not relevant | Not relevant  | Not relevant |
|                                                                                                                                  | Dermal     | Not relevant   | Not relevant | 1 mg/kg       | Not relevant |
|                                                                                                                                  | Inhalation | Not relevant   | Not relevant | 3,5 mg/m³     | Not relevant |
| phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide<br>CAS: 162881-26-7<br>EC: 423-340-5                                          | Oral       | Not relevant   | Not relevant | Not relevant  | Not relevant |
|                                                                                                                                  | Dermal     | Not relevant   | Not relevant | 3 mg/kg       | Not relevant |
|                                                                                                                                  | Inhalation | Not relevant   | Not relevant | 21 mg/m³      | Not relevant |
| Camphene<br>CAS: 79-92-5<br>EC: 201-234-8                                                                                        | Oral       | Not relevant   | Not relevant | Not relevant  | Not relevant |
|                                                                                                                                  | Dermal     | 1,25 mg/kg     | Not relevant | 0,21 mg/kg    | Not relevant |
|                                                                                                                                  | Inhalation | 110,19 mg/m³   | Not relevant | 110,19 mg/m³  | Not relevant |
| 2-hydroxyethyl acrylate<br>CAS: 818-61-1<br>EC: 212-454-9                                                                        | Oral       | Not relevant   | Not relevant | Not relevant  | Not relevant |
|                                                                                                                                  | Dermal     | Not relevant   | Not relevant | Not relevant  | Not relevant |
|                                                                                                                                  | Inhalation | Not relevant   | Not relevant | Not relevant  | 2,4 mg/m³    |

**DNEL (General population):**

| Identification                                                                                                                   |            | Short exposure |              | Long exposure |              |
|----------------------------------------------------------------------------------------------------------------------------------|------------|----------------|--------------|---------------|--------------|
|                                                                                                                                  |            | Systemic       | Local        | Systemic      | Local        |
| Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate<br>CAS: 5888-33-5<br>EC: 227-561-6                                           | Oral       | Not relevant   | Not relevant | 0,83 mg/kg    | Not relevant |
|                                                                                                                                  | Dermal     | Not relevant   | Not relevant | 0,83 mg/kg    | Not relevant |
|                                                                                                                                  | Inhalation | Not relevant   | Not relevant | 1,45 mg/m³    | Not relevant |
| Propylidynetrimethanol, ethoxylated, esters with acrylic acid<br>CAS: 28961-43-5<br>EC: 500-066-5                                | Oral       | Not relevant   | Not relevant | 1,4 mg/kg     | Not relevant |
|                                                                                                                                  | Dermal     | Not relevant   | Not relevant | 0,5 mg/kg     | Not relevant |
|                                                                                                                                  | Inhalation | Not relevant   | Not relevant | 4,9 mg/m³     | Not relevant |
| 2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide<br>CAS: 1187441-10-6<br>EC: 810-703-1 | Oral       | Not relevant   | Not relevant | 0,5 mg/kg     | Not relevant |
|                                                                                                                                  | Dermal     | Not relevant   | Not relevant | 0,5 mg/kg     | Not relevant |
|                                                                                                                                  | Inhalation | Not relevant   | Not relevant | 3,53 mg/m³    | Not relevant |
| 1-butylpyrrolidin-2-one<br>CAS: 3470-98-2<br>EC: 222-437-8                                                                       | Oral       | 4 mg/kg        | Not relevant | 4 mg/kg       | Not relevant |
|                                                                                                                                  | Dermal     | Not relevant   | Not relevant | 5 mg/kg       | Not relevant |
|                                                                                                                                  | Inhalation | Not relevant   | Not relevant | 4,29 mg/m³    | Not relevant |
| 2-hydroxy-2-methylpropiophenone<br>CAS: 7473-98-5<br>EC: 231-272-0                                                               | Oral       | Not relevant   | Not relevant | 0,4 mg/kg     | Not relevant |
|                                                                                                                                  | Dermal     | Not relevant   | Not relevant | 0,5 mg/kg     | Not relevant |
|                                                                                                                                  | Inhalation | Not relevant   | Not relevant | 0,9 mg/m³     | Not relevant |
| phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide<br>CAS: 162881-26-7<br>EC: 423-340-5                                          | Oral       | Not relevant   | Not relevant | 1,5 mg/kg     | Not relevant |
|                                                                                                                                  | Dermal     | Not relevant   | Not relevant | 1,5 mg/kg     | Not relevant |
|                                                                                                                                  | Inhalation | Not relevant   | Not relevant | 5,2 mg/m³     | Not relevant |
| Camphene<br>CAS: 79-92-5<br>EC: 201-234-8                                                                                        | Oral       | 0,625 mg/kg    | Not relevant | 0,1 mg/kg     | Not relevant |
|                                                                                                                                  | Dermal     | 0,625 mg/kg    | Not relevant | 0,1 mg/kg     | Not relevant |
|                                                                                                                                  | Inhalation | 54,3 mg/m³     | Not relevant | 54,3 mg/m³    | Not relevant |

- CONTINUED ON NEXT PAGE -



**ABchimie6028UV**  
**UV thixotropic resin**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Identification                                            |            | Short exposure |              | Long exposure |              |
|-----------------------------------------------------------|------------|----------------|--------------|---------------|--------------|
|                                                           |            | Systemic       | Local        | Systemic      | Local        |
| 2-hydroxyethyl acrylate<br>CAS: 818-61-1<br>EC: 212-454-9 | Oral       | Not relevant   | Not relevant | Not relevant  | Not relevant |
|                                                           | Dermal     | Not relevant   | Not relevant | Not relevant  | Not relevant |
|                                                           | Inhalation | Not relevant   | Not relevant | Not relevant  | 1,2 mg/m³    |

**PNEC:**

| Identification                                                                                                                   |              |              |                         |              |  |
|----------------------------------------------------------------------------------------------------------------------------------|--------------|--------------|-------------------------|--------------|--|
| Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate<br>CAS: 5888-33-5<br>EC: 227-561-6                                           | STP          | 2 mg/L       | Fresh water             | 0,001 mg/L   |  |
|                                                                                                                                  | Soil         | 0,029 mg/kg  | Marine water            | 0 mg/L       |  |
|                                                                                                                                  | Intermittent | 0,007 mg/L   | Sediment (Fresh water)  | 0,145 mg/kg  |  |
|                                                                                                                                  | Oral         | Not relevant | Sediment (Marine water) | 0,015 mg/kg  |  |
| Propylidynetrimethanol, ethoxylated, esters with acrylic acid<br>CAS: 28961-43-5<br>EC: 500-066-5                                | STP          | 10 mg/L      | Fresh water             | 0,002 mg/L   |  |
|                                                                                                                                  | Soil         | 0,006 mg/kg  | Marine water            | 0 mg/L       |  |
|                                                                                                                                  | Intermittent | 0,019 mg/L   | Sediment (Fresh water)  | 0,008 mg/kg  |  |
|                                                                                                                                  | Oral         | 0,0056 g/kg  | Sediment (Marine water) | 0,001 mg/kg  |  |
| 2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide<br>CAS: 1187441-10-6<br>EC: 810-703-1 | STP          | 0,4 mg/L     | Fresh water             | 0,165 mg/L   |  |
|                                                                                                                                  | Soil         | 0,46 mg/kg   | Marine water            | 0,017 mg/L   |  |
|                                                                                                                                  | Intermittent | 1,65 mg/L    | Sediment (Fresh water)  | 2,8 mg/kg    |  |
|                                                                                                                                  | Oral         | Not relevant | Sediment (Marine water) | 0,28 mg/kg   |  |
| 1-butylpyrrolidin-2-one<br>CAS: 3470-98-2<br>EC: 222-437-8                                                                       | STP          | 30,62 mg/L   | Fresh water             | 4 mg/L       |  |
|                                                                                                                                  | Soil         | 1,68 mg/kg   | Marine water            | 0,4 mg/L     |  |
|                                                                                                                                  | Intermittent | 1 mg/L       | Sediment (Fresh water)  | 20,168 mg/kg |  |
|                                                                                                                                  | Oral         | Not relevant | Sediment (Marine water) | 2,017 mg/kg  |  |
| 2-hydroxy-2-methylpropiophenone<br>CAS: 7473-98-5<br>EC: 231-272-0                                                               | STP          | 45 mg/L      | Fresh water             | 0,002 mg/L   |  |
|                                                                                                                                  | Soil         | 0,001 mg/kg  | Marine water            | 0 mg/L       |  |
|                                                                                                                                  | Intermittent | 0,019 mg/L   | Sediment (Fresh water)  | 0,009 mg/kg  |  |
|                                                                                                                                  | Oral         | Not relevant | Sediment (Marine water) | 0,001 mg/kg  |  |
| phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide<br>CAS: 162881-26-7<br>EC: 423-340-5                                          | STP          | 1 mg/L       | Fresh water             | 0,001 mg/L   |  |
|                                                                                                                                  | Soil         | 20 mg/kg     | Marine water            | 0,001 mg/L   |  |
|                                                                                                                                  | Intermittent | 0,001 mg/L   | Sediment (Fresh water)  | 0,712 mg/kg  |  |
|                                                                                                                                  | Oral         | Not relevant | Sediment (Marine water) | 0,712 mg/kg  |  |
| Camphene<br>CAS: 79-92-5<br>EC: 201-234-8                                                                                        | STP          | 10 mg/L      | Fresh water             | 0,001 mg/L   |  |
|                                                                                                                                  | Soil         | 0,021 mg/kg  | Marine water            | 0 mg/L       |  |
|                                                                                                                                  | Intermittent | 0,001 mg/L   | Sediment (Fresh water)  | 0,026 mg/kg  |  |
|                                                                                                                                  | Oral         | 0,00208 g/kg | Sediment (Marine water) | 0,003 mg/kg  |  |
| 2-hydroxyethyl acrylate<br>CAS: 818-61-1<br>EC: 212-454-9                                                                        | STP          | 10 mg/L      | Fresh water             | 0,017 mg/L   |  |
|                                                                                                                                  | Soil         | 0,003 mg/kg  | Marine water            | 0,002 mg/L   |  |
|                                                                                                                                  | Intermittent | 0,036 mg/L   | Sediment (Fresh water)  | 0,064 mg/kg  |  |
|                                                                                                                                  | Oral         | Not relevant | Sediment (Marine water) | 0,006 mg/kg  |  |

**8.2 Exposure controls:**

**A.- Individual protection measures, such as personal protective equipment**

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

**B.- Respiratory protection**

If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

**C.- Specific protection for the hands**

- CONTINUED ON NEXT PAGE -



**ABchimie6028UV**  
**UV thixotropic resin**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Pictogram                                                                                                      | PPE                                   | Labelling                                                                         | CEN Standard | Remarks                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <br>Mandatory hand protection | Protective gloves against minor risks |  |              | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

**D.- Eye and face protection**

| Pictogram                                                                                                      | PPE                                           | Labelling                                                                         | CEN Standard                    | Remarks                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. |  | EN 166:2002<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

**E.- Body protection**

| Pictogram | PPE                  | Labelling                                                                          | CEN Standard      | Remarks                                                                                                                                                                                                                                                           |
|-----------|----------------------|------------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Work clothing        |   |                   | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
|           | Anti-slip work shoes |  | EN ISO 20347:2022 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2019                                 |

**F.- Additional emergency measures**

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

| Emergency measure                                                                                       | Standards                                       | Emergency measure                                                                                        | Standards                                      |
|---------------------------------------------------------------------------------------------------------|-------------------------------------------------|----------------------------------------------------------------------------------------------------------|------------------------------------------------|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

**Environmental exposure controls:**

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

**Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

|                           |               |
|---------------------------|---------------|
| V.O.C. (Supply):          | 2,27 % weight |
| V.O.C. density at 20 °C:  | Not relevant  |
| Average carbon number:    | Not relevant  |
| Average molecular weight: | 141,21 g/mol  |

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

|                          |             |
|--------------------------|-------------|
| Physical state at 20 °C: | Liquid      |
| Appearance:              | Thixotropic |
| Colour:                  | Colourless  |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



**ABchimie6028UV**  
**UV thixotropic resin**

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**

|                                              |                          |
|----------------------------------------------|--------------------------|
| Odour:                                       | Not relevant *           |
| Odour threshold:                             | Not relevant *           |
| <b>Volatility:</b>                           |                          |
| Boiling point at atmospheric pressure:       | Not relevant *           |
| Vapour pressure at 20 °C:                    | Not relevant *           |
| Vapour pressure at 50 °C:                    | 21,82 Pa (0,02 kPa)      |
| Evaporation rate at 20 °C:                   | Not relevant *           |
| <b>Product description:</b>                  |                          |
| Density at 20 °C:                            | Not relevant *           |
| Relative density at 20 °C:                   | 1,06                     |
| Dynamic viscosity at 20 °C:                  | Not relevant *           |
| Kinematic viscosity at 20 °C:                | Not relevant *           |
| Kinematic viscosity at 40 °C:                | >20,5 mm <sup>2</sup> /s |
| Concentration:                               | Not relevant *           |
| pH:                                          | Not relevant *           |
| Vapour density at 20 °C:                     | Not relevant *           |
| Partition coefficient n-octanol/water 20 °C: | Not relevant *           |
| Solubility in water at 20 °C:                | Not relevant *           |
| Solubility properties:                       | Not relevant *           |
| Decomposition temperature:                   | Not relevant *           |
| Melting point/freezing point:                | Not relevant *           |
| <b>Flammability:</b>                         |                          |
| Flash Point:                                 | Non Flammable (>60 °C)   |
| Flammability (solid, gas):                   | Not relevant *           |
| Autoignition temperature:                    | 265 °C                   |
| Lower flammability limit:                    | Not relevant *           |
| Upper flammability limit:                    | Not relevant *           |
| <b>Particle characteristics:</b>             |                          |
| Median equivalent diameter:                  | Not relevant *           |

**9.2 Other information:**

**Information with regard to physical hazard classes:**

|                                                              |                |
|--------------------------------------------------------------|----------------|
| Explosive properties:                                        | Not relevant * |
| Oxidising properties:                                        | Not relevant * |
| Corrosive to metals:                                         | Not relevant * |
| Heat of combustion:                                          | Not relevant * |
| Aerosols-total percentage (by mass) of flammable components: | Not relevant * |

**Other safety characteristics:**

|                           |                |
|---------------------------|----------------|
| Surface tension at 20 °C: | Not relevant * |
| Refraction index:         | Not relevant * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

- CONTINUED ON NEXT PAGE -



**ABchimie6028UV**  
**UV thixotropic resin**

## SECTION 10: STABILITY AND REACTIVITY (continued)

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight            | Humidity       |
|--------------------|------------------|-------------------------|---------------------|----------------|
| Precaution         | Not applicable   | Precaution              | Avoid direct impact | Not applicable |

### 10.5 Incompatible materials:

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION \*\*

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

#### A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

#### B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

#### C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Produces eye damage after contact.

#### D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: 2,2-bis(acryloyloxymethyl)butyl acrylate (2B)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

#### F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

**ABchimie6028UV**  
**UV thioxotropic resin**



**SECTION 11: TOXICOLOGICAL INFORMATION \*\* (continued)**

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Not relevant

**Specific toxicology information on the substances:**

| Identification                                                     | Acute toxicity         |             | Genus  |
|--------------------------------------------------------------------|------------------------|-------------|--------|
| 1-butylpyrrolidin-2-one<br>CAS: 3470-98-2<br>EC: 222-437-8         | LD50 oral              | 500 mg/kg   |        |
|                                                                    | LD50 dermal            |             |        |
|                                                                    | LC50 inhalation        |             |        |
|                                                                    | LC50 inhalation vapour |             |        |
| 2-hydroxy-2-methylpropiophenone<br>CAS: 7473-98-5<br>EC: 231-272-0 | LD50 oral              | 1694 mg/kg  | Rat    |
|                                                                    | LD50 dermal            |             |        |
|                                                                    | LC50 inhalation        |             |        |
|                                                                    | LC50 inhalation vapour |             |        |
| Camphene<br>CAS: 79-92-5<br>EC: 201-234-8                          | LD50 oral              | >5000 mg/kg | Rat    |
|                                                                    | LD50 dermal            | 8189 mg/kg  | Rabbit |
|                                                                    | LC50 inhalation        |             |        |
|                                                                    | LC50 inhalation dust   |             |        |
| 2-hydroxyethyl acrylate<br>CAS: 818-61-1<br>EC: 212-454-9          | LD50 oral              |             |        |
|                                                                    | LD50 dermal            | 300 mg/kg   | Rabbit |
|                                                                    | LC50 inhalation        |             |        |
|                                                                    | LC50 inhalation vapour |             |        |

**11.2 Information on other hazards:**

**Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

**Other information**

Not relevant

**\*\* Changes with regards to the previous version**

**SECTION 12: ECOLOGICAL INFORMATION \*\***

The experimental information related to the eco-toxicological properties of the product itself is not available

Very toxic to aquatic life with long lasting effects.

**12.1 Toxicity:**

**Acute toxicity:**

| Identification                                                                                    | Concentration | Species               | Genus      |
|---------------------------------------------------------------------------------------------------|---------------|-----------------------|------------|
| Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate<br>CAS: 5888-33-5<br>EC: 227-561-6            | LC50          | >0.1 - 1 mg/L (96 h)  | Fish       |
|                                                                                                   | EC50          | >0.1 - 1 mg/L (48 h)  | Crustacean |
|                                                                                                   | EC50          | >0.1 - 1 mg/L (72 h)  | Algae      |
| Propylidynetrimethanol, ethoxylated, esters with acrylic acid<br>CAS: 28961-43-5<br>EC: 500-066-5 | LC50          | >10 - 100 mg/L (96 h) | Fish       |
|                                                                                                   | EC50          | >10 - 100 mg/L (48 h) | Crustacean |
|                                                                                                   | EC50          | >10 - 100 mg/L (72 h) | Algae      |

**\*\* Changes with regards to the previous version**

- CONTINUED ON NEXT PAGE -



**ABchimie6028UV**  
**UV thioxotropic resin**

**SECTION 12: ECOLOGICAL INFORMATION \*\* (continued)**

| Identification                  | Concentration              | Species             | Genus      |
|---------------------------------|----------------------------|---------------------|------------|
| 2-hydroxy-2-methylpropiophenone | LC50 >10 - 100 mg/L (96 h) |                     | Fish       |
| CAS: 7473-98-5                  | EC50 >10 - 100 mg/L (48 h) |                     | Crustacean |
| EC: 231-272-0                   | EC50 >10 - 100 mg/L (72 h) |                     | Algae      |
| Camphene                        | LC50 0,72 mg/L (96 h)      | Brachydanio rerio   | Fish       |
| CAS: 79-92-5                    | EC50 46 mg/L (24 h)        | Daphnia magna       | Crustacean |
| EC: 201-234-8                   | EC50 Not relevant          |                     |            |
| 2-hydroxyethyl acrylate         | LC50 4,7 mg/L (96 h)       | Pimephales promelas | Fish       |
| CAS: 818-61-1                   | EC50 0,78 mg/L (48 h)      | Daphnia magna       | Crustacean |
| EC: 212-454-9                   | EC50 Not relevant          |                     |            |

**Chronic toxicity:**

| Identification                                      | Concentration     | Species       | Genus      |
|-----------------------------------------------------|-------------------|---------------|------------|
| Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate | NOEC Not relevant |               |            |
| CAS: 5888-33-5 EC: 227-561-6                        | NOEC 0,092 mg/L   | Daphnia magna | Crustacean |
| phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide  | NOEC Not relevant |               |            |
| CAS: 162881-26-7 EC: 423-340-5                      | NOEC 0,0081 mg/L  | Daphnia magna | Crustacean |
| 2-hydroxyethyl acrylate                             | NOEC Not relevant |               |            |
| CAS: 818-61-1 EC: 212-454-9                         | NOEC 1,8 mg/L     | Daphnia magna | Crustacean |

**12.2 Persistence and degradability:**

**Substance-specific information:**

| Identification          | Degradability         | Biodegradability       |
|-------------------------|-----------------------|------------------------|
| Camphene                | BOD5 Not relevant     | Concentration 100 mg/L |
| CAS: 79-92-5            | COD Not relevant      | Period 28 days         |
| EC: 201-234-8           | BOD5/COD Not relevant | % Biodegradable 4 %    |
| 2-hydroxyethyl acrylate | BOD5 Not relevant     | Concentration 100 mg/L |
| CAS: 818-61-1           | COD Not relevant      | Period 28 days         |
| EC: 212-454-9           | BOD5/COD Not relevant | % Biodegradable 78 %   |

**12.3 Bioaccumulative potential:**

**Substance-specific information:**

| Identification          | Bioaccumulation potential |
|-------------------------|---------------------------|
| Camphene                | BCF 1290                  |
| CAS: 79-92-5            | Pow Log 4.22              |
| EC: 201-234-8           | Potential Very High       |
| 2-hydroxyethyl acrylate | BCF 0.41                  |
| CAS: 818-61-1           | Pow Log -0.21             |
| EC: 212-454-9           | Potential Low             |

**12.4 Mobility in soil:**

| Identification          | Absorption/desorption                    | Volatility              |
|-------------------------|------------------------------------------|-------------------------|
| Camphene                | Koc Not relevant                         | Henry Not relevant      |
| CAS: 79-92-5            | Conclusion Not relevant                  | Dry soil Not relevant   |
| EC: 201-234-8           | Surface tension 1,098E-2 N/m (205,93 °C) | Moist soil Not relevant |
| 2-hydroxyethyl acrylate | Koc Not relevant                         | Henry Not relevant      |
| CAS: 818-61-1           | Conclusion Not relevant                  | Dry soil Not relevant   |
| EC: 212-454-9           | Surface tension 2,487E-2 N/m (25 °C)     | Moist soil Not relevant |

**12.5 Results of PBT and vPvB assessment:**

Product does not meet PBT/vPvB criteria

**12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product does not meet the criteria.

**12.7 Other adverse effects:**

Not described

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

**ABchimie6028UV**  
**UV thixotropic resin**



## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:

| Code                   | Description                                                                                                                                                   | Waste class (Regulation (EU) No 1357/2014) |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| 08 01 11*<br>15 01 10* | waste paint and varnish containing organic solvents or other hazardous substances<br>packaging containing residues of or contaminated by hazardous substances | Hazardous                                  |

#### Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP13 Sensitising

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

## SECTION 14: TRANSPORT INFORMATION

### Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:



- |                                                                      |                                                                                                              |
|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>14.1 UN number or ID number:</b>                                  | UN3082                                                                                                       |
| <b>14.2 UN proper shipping name:</b>                                 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate) |
| <b>14.3 Transport hazard class(es):</b>                              | 9                                                                                                            |
| Labels:                                                              | 9                                                                                                            |
| <b>14.4 Packing group:</b>                                           | III                                                                                                          |
| <b>14.5 Environmental hazards:</b>                                   | Yes                                                                                                          |
| <b>14.6 Special precautions for user</b>                             |                                                                                                              |
| Special regulations:                                                 | 274, 335, 375, 601                                                                                           |
| Tunnel restriction code:                                             | -                                                                                                            |
| Physico-Chemical properties:                                         | see section 9                                                                                                |
| Limited quantities:                                                  | 5 L                                                                                                          |
| <b>14.7 Maritime transport in bulk according to IMO instruments:</b> | Not relevant                                                                                                 |

### Transport of dangerous goods by sea:

With regard to IMDG 41-22:



- |                                                                      |                                                                                                              |
|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>14.1 UN number or ID number:</b>                                  | UN3082                                                                                                       |
| <b>14.2 UN proper shipping name:</b>                                 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate) |
| <b>14.3 Transport hazard class(es):</b>                              | 9                                                                                                            |
| Labels:                                                              | 9                                                                                                            |
| <b>14.4 Packing group:</b>                                           | III                                                                                                          |
| <b>14.5 Marine pollutant:</b>                                        | Yes                                                                                                          |
| <b>14.6 Special precautions for user</b>                             |                                                                                                              |
| Special regulations:                                                 | 335, 969, 274                                                                                                |
| EmS Codes:                                                           | F-A, S-F                                                                                                     |
| Physico-Chemical properties:                                         | see section 9                                                                                                |
| Limited quantities:                                                  | 5 L                                                                                                          |
| Segregation group:                                                   | Not relevant                                                                                                 |
| <b>14.7 Maritime transport in bulk according to IMO instruments:</b> | Not relevant                                                                                                 |

### Transport of dangerous goods by air:

With regard to IATA/ICAO 2025:

- CONTINUED ON NEXT PAGE -



**ABchimie6028UV**  
**UV thioxotropic resin**

**SECTION 14: TRANSPORT INFORMATION (continued)**



|                                                                      |                                                                                                              |
|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>14.1 UN number or ID number:</b>                                  | UN3082                                                                                                       |
| <b>14.2 UN proper shipping name:</b>                                 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate) |
| <b>14.3 Transport hazard class(es):</b>                              | 9                                                                                                            |
| Labels:                                                              | 9                                                                                                            |
| <b>14.4 Packing group:</b>                                           | III                                                                                                          |
| <b>14.5 Environmental hazards:</b>                                   | Yes                                                                                                          |
| <b>14.6 Special precautions for user</b>                             |                                                                                                              |
| Physico-Chemical properties:                                         | see section 9                                                                                                |
| <b>14.7 Maritime transport in bulk according to IMO instruments:</b> | Not relevant                                                                                                 |

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):**

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

**SECTION 16: OTHER INFORMATION \*\***

**Legislation related to safety data sheets:**

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

- New declared substances
- 2-hydroxyethyl acrylate (818-61-1)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- Hazard statements
- Precautionary statements
- Supplementary information

**Texts of the legislative phrases mentioned in section 2:**

H319: Causes serious eye irritation.  
H400: Very toxic to aquatic life.  
H410: Very toxic to aquatic life with long lasting effects.  
H317: May cause an allergic skin reaction.

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

\*\* Changes with regards to the previous version



**ABchimie6028UV**  
**UV thixotropic resin**

**SECTION 16: OTHER INFORMATION \*\* (continued)**

Acute Tox. 3: H311 - Toxic in contact with skin.  
Acute Tox. 4: H302 - Harmful if swallowed.  
Aquatic Acute 1: H400 - Very toxic to aquatic life.  
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.  
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.  
Aquatic Chronic 4: H413 - May cause long lasting harmful effects to aquatic life.  
Eye Dam. 1: H318 - Causes serious eye damage.  
Eye Irrit. 2: H319 - Causes serious eye irritation.  
Flam. Sol. 2: H228 - Flammable solid.  
Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.  
Skin Irrit. 2: H315 - Causes skin irritation.  
Skin Sens. 1: H317 - May cause an allergic skin reaction.  
Skin Sens. 1A: H317 - May cause an allergic skin reaction.  
Skin Sens. 1B: H317 - May cause an allergic skin reaction.

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>  
<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road  
IMDG: International maritime dangerous goods code  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organisation  
COD: Chemical Oxygen Demand  
BOD5: 5day biochemical oxygen demand  
BCF: Bioconcentration factor  
LD50: Lethal Dose 50  
LC50: Lethal Concentration 50  
EC50: Effective concentration 50  
LogPOW: Octanolwater partition coefficient  
Koc: Partition coefficient of organic carbon  
UFI: unique formula identifier  
IARC: International Agency for Research on Cancer

*\*\* Changes with regards to the previous version*

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -