

## Safety Data Sheet

### Section 1. Identification

**Product name** : 958 Soldering Flux  
**Product code** : 4060040  
**Product type** : Liquid.  
**Date of issue/Date of revision** : February 23 2025.

| Manufacturer - Supplier                                                                                                                                                                                                                                  | Telephone no.:                                          | Emergency phone:                                                                                                       |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| Alpha Assembly Solutions Inc.<br>Global Headquarters<br>140 Centennial Avenue<br>Piscataway, NJ 08854                                                                                                                                                    | Toll Free: (800) 367-5460<br>Main Phone: (908) 791-3000 | DOMESTIC NORTH AMERICA<br>202-464-2554                                                                                 |
| Macdermid Performance Solution Hong Kong Limited / Alpha Assembly Solutions<br>8/F., Paul Y. Centre, 51 Hung To Road,<br>Kwun Tong, Kowloon, Hong Kong                                                                                                   | 852-31903100                                            | 852-31903100<br>INTERNATIONAL, CALL<br>Carechem 24: +65 3158 1074                                                      |
| MacDermid Performance Solutions Japan K.K.<br>480-28 Higashitoyoda, Hiratsuka-shi,<br>Kanagawa, Japan                                                                                                                                                    | 81-463-53-3333                                          | 81-463-53-3333<br>INTERNATIONAL, CALL<br>Carechem 24: +65 3158 1074                                                    |
| Assembly Solutions Korea Co., Ltd<br>111, Suwolam-gil, Seotan-myeon,<br>Pyeongtaek -si, Gyeonggi-do, Korea                                                                                                                                               | 82-31-665-5093 (Ext 2)                                  | 82-31-665-5093 (Ext 5)<br>INTERNATIONAL, CALL<br>Carechem 24: +65 3158 1074                                            |
| Alpha Assembly Solutions (Shanghai) Trading Co., Ltd.<br>2 floor, 5 Building, No.1151 Lianxi Road,<br>Pudong New Area Shanghai 201204<br>P.R.China                                                                                                       | 86-21-63900600                                          | 86-532-83889090<br>INTERNATIONAL, CALL<br>Carechem 24: +65 3158 1074                                                   |
| Alpha Assembly Solutions (Taiwan) Limited<br>No.20, Lane 12, Sec.2, Nan-Shan Rd.,<br>Luzhu District, Taoyuan City, 33860 Taiwan                                                                                                                          | Tel: +886-3-3222721                                     | Tel: +886-3-3222721<br>INTERNATIONAL, CALL<br>Carechem 24: +65 3158 1074                                               |
| MacDermid Alpha Electronics Solutions India Private Limited<br>(formerly known as MacDermid Performance Solutions, Cookson India Private Limited)<br>Developed Plot no 16, North Phase, SIDCO Industrial estate, Ambattur,<br>Chennai - 600098,<br>India | Tel: +91-44-6965-2630                                   | Tel: +91-44-6965-2630<br>INTERNATIONAL, CALL<br>Carechem 24: +65 3158 1074                                             |
| Alpha Assembly Solutions<br>14 Tuas Avenue 10<br>Singapore 639138                                                                                                                                                                                        | 65 68611977                                             | 65 68611977<br>INTERNATIONAL, CALL<br>Carechem 24: +65 3158 1074                                                       |
| Alpha Assembly Solutions (Shenzhen) Co., Ltd.<br>Tang Xia Yong Village, Songgang Town<br>Baoan District, Shenzhen,<br>Peoples Republic of China<br>Postal Code: 518105                                                                                   | 86 755 2705 1100                                        | 86 532 83889090<br>INTERNATIONAL, CALL<br>Carechem 24: +65 3158 1074                                                   |
| MacDermid Alpha Electronics Solutions<br>14 Joo Koon Crescent<br>Singapore 629014                                                                                                                                                                        | 65 6430 0700                                            | 65 6430 0700<br>INTERNATIONAL, CALL<br>Carechem 24: +65 3158 1074                                                      |
| Active Components (NZ) Ltd (Distributor)<br>2/14 Canaveral Drive<br>Rosedale (0632), Auckland<br>New Zealand                                                                                                                                             | Tel: +64 9 443 9500                                     | National Poisons Centre<br>Free Phone: 0800 764 766 (0800 POISON)<br>INTERNATIONAL, CALL<br>Carechem 24: +65 3158 1074 |
| MacDermid Performance Solutions<br>A Division of MacDermid Performance Solutions Singapore Pte. Ltd.<br>26 Tuas West Road<br>Singapore 638382                                                                                                            | 65-6861 1773                                            | 65-6861 1773<br>INTERNATIONAL, CALL<br>Carechem 24: +65 3158 1074                                                      |

## Section 2. Hazard identification

**Classification of the substance or mixture** : FLAMMABLE LIQUIDS - Category 2  
ACUTE TOXICITY (oral) - Category 5  
ACUTE TOXICITY (inhalation) - Category 3  
SKIN CORROSION/IRRITATION - Category 3  
SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A  
SPECIFIC TARGET ORGAN TOXICITY (Narcotic effects) - Category 3

### GHS label elements

**Hazard pictograms**



**Signal word**

: Danger

**Hazard statements**

: Highly flammable liquid and vapor.  
May be harmful if swallowed.  
Causes mild skin irritation.  
Causes serious eye irritation.  
Toxic if inhaled.  
May cause drowsiness or dizziness.

### Precautionary statements

**General**

: Read carefully and follow all instructions. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

**Prevention**

: Wear protective gloves, protective clothing, eye protection, face protection, or hearing protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Wash thoroughly after handling.

**Response**

: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. If skin irritation occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

**Storage**

: Store locked up. Store in a well-ventilated place. Keep container tightly closed.

**Disposal**

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Other hazards which do not result in classification** : Prolonged or repeated contact may dry skin and cause irritation.

## Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture

| Ingredient name          | %      | CAS number |
|--------------------------|--------|------------|
| Isopropyl alcohol        | 80-100 | 67-63-0    |
| bis(2-butoxyethyl) ether | 1-10   | 112-73-2   |
| succinic acid            | 1-10   | 110-15-6   |
| Thinning Solvent         | 1-10   | -          |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

- Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with running water for at least 30 minutes, keeping eyelids open. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that mists are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Continue to rinse for at least 15 minutes. Get medical attention if adverse health effects persist or are severe. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : Toxic if inhaled. Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.
- Skin contact** : Causes mild skin irritation. Defatting to the skin.
- Ingestion** : May be harmful if swallowed. Can cause central nervous system (CNS) depression.

#### Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness
- Inhalation** : Adverse symptoms may include the following:  
nausea or vomiting  
headache  
drowsiness/fatigue  
dizziness/vertigo  
unconsciousness
- Skin contact** : Adverse symptoms may include the following:  
irritation  
redness  
dryness  
cracking
- Ingestion** : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

## Section 4. First aid measures

- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that mists are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

- Suitable extinguishing media** : Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

- Unsuitable extinguishing media** : Do not use water jet.

- Specific hazards arising from the chemical** : Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 6. Accidental release measures

- Large spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

| Ingredient name   | Exposure limits                                                                                                                                                                                                                                                             |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Isopropyl alcohol | <b>ACGIH TLV (United States, 3/2017).</b><br><b>Notes: Refers to Appendix A -- Carcinogens. ACGIH 2003 Adoption</b><br>STEL: 400 ppm 15 minutes.<br>TWA: 200 ppm 8 hours.<br><b>ACGIH TLV (United States, 3/2017).</b><br>STEL: 150 ppm 15 minutes.<br>TWA: 50 ppm 8 hours. |
| Thinning Solvent  |                                                                                                                                                                                                                                                                             |

- Appropriate engineering controls** : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

## Section 8. Exposure controls/personal protection

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### Appearance

**Physical state** : Liquid.  
**Color** : Colorless.  
**Odor** : Alcohol-like.  
**Odor threshold** : Not available.  
**pH** : Not available.  
**Melting point/freezing point** : Not available.  
**Boiling point, initial boiling point, and boiling range** : 82°C (179.6°F)  
**Flash point** : Closed cup: 12°C (53.6°F)  
**Evaporation rate** : Not available.  
**Flammability** : Not available.

*Continued on next page*

## Section 9. Physical and chemical properties and safety characteristics

|                                                           |                            |
|-----------------------------------------------------------|----------------------------|
| <b>Lower and upper explosion limit/flammability limit</b> | : Not available.           |
| <b>Vapor pressure</b>                                     | : 4.3 kPa (32.25258 mm Hg) |
| <b>Relative vapor density</b>                             | : Not available.           |
| <b>Relative density</b>                                   | : Not available.           |
| <b>Solubility</b>                                         | : Not available.           |
| <b>Miscible with water</b>                                | : No.                      |
| <b>VOC</b>                                                | 968.2 g/l                  |
| <b>Partition coefficient: n-octanol/water</b>             | : Not applicable.          |
| <b>Auto-ignition temperature</b>                          | : 425°C (797°F)            |
| <b>Decomposition temperature</b>                          | : Not available.           |
| <b>Viscosity</b>                                          | : Not available.           |
| <b>Flow time (ISO 2431)</b>                               | : Not available.           |
| <b>Particle characteristics</b>                           |                            |
| <b>Median particle size</b>                               | : Not applicable.          |

## Section 10. Stability and reactivity

|                                                |                                                                                                                                                                           |
|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reactivity</b>                              | : No specific test data related to reactivity available for this product or its ingredients.                                                                              |
| <b>Chemical stability</b>                      | : The product is stable.                                                                                                                                                  |
| <b>Possibility of hazardous reactions</b>      | : Under normal conditions of storage and use, hazardous reactions will not occur.                                                                                         |
| <b>Conditions to avoid</b>                     | : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. |
| <b>Incompatibility with various substances</b> | : Reactive or incompatible with the following materials: oxidizing materials, reducing materials, acids and alkalis.                                                      |
| <b>Hazardous decomposition products</b>        | : Under normal conditions of storage and use, hazardous decomposition products should not be produced.                                                                    |
| <b>Hazardous polymerization</b>                | : Under normal conditions of storage and use, hazardous polymerization will not occur.                                                                                    |

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name  | Result                | Species | Dose         | Exposure |
|--------------------------|-----------------------|---------|--------------|----------|
| Isopropyl alcohol        | LD50 Dermal           | Rabbit  | 6290 mg/kg   | -        |
|                          | LD50 Oral             | Rat     | 4.7 g/kg     | -        |
| bis(2-butoxyethyl) ether | LD50 Dermal           | Rabbit  | 4040 uL/kg   | -        |
|                          | LD50 Oral             | Rat     | 3900 mg/kg   | -        |
| succinic acid            | LD50 Oral             | Rat     | 3900 mg/kg   | -        |
|                          | LD50 Oral             | Rat     | 2260 mg/kg   | -        |
| Thinning Solvent         | LC50 Inhalation Gas.  | Rat     | 390 ppm      | 4 hours  |
|                          | LC50 Inhalation Vapor | Rat     | 1087 ppm     | 4 hours  |
|                          | LD50 Dermal           | Rabbit  | >17600 mg/kg | -        |
|                          | LD50 Oral             | Mammal  | 4300 mg/kg   | -        |
|                          | LD50 Oral             | Rat     | 10768 mg/kg  | -        |
|                          |                       |         |              |          |

#### Irritation/Corrosion

Continued on next page

**Section 11. Toxicological information**

| Product/ingredient name  | Result                   | Species | Score | Exposure                | Observation |
|--------------------------|--------------------------|---------|-------|-------------------------|-------------|
| Isopropyl alcohol        | Eyes - Moderate irritant | Rabbit  | -     | 24 hours 100 milligrams | -           |
|                          | Eyes - Moderate irritant | Rabbit  | -     | 10 milligrams           | -           |
|                          | Eyes - Severe irritant   | Rabbit  | -     | 100 milligrams          | -           |
| bis(2-butoxyethyl) ether | Skin - Mild irritant     | Rabbit  | -     | 500 milligrams          | -           |
|                          | Skin - Mild irritant     | Rabbit  | -     | 500 milligrams          | -           |
|                          | Skin - Mild irritant     | Rabbit  | -     | 750 milligrams          | -           |
| succinic acid            | Eyes - Severe irritant   | Rabbit  | -     | 100 Micrograms          | -           |
| Thinning Solvent         | Eyes - Moderate irritant | Rabbit  | -     | 100 milligrams          | -           |
|                          | Skin - Moderate irritant | Rabbit  | -     | 24 hours 500 milligrams | -           |

**Sensitization**

Not available.

**Mutagenicity**

Not available.

**Carcinogenicity**

Not available.

**Reproductive toxicity**

Not available.

**Teratogenicity**

Not available.

**Specific target organ toxicity (single exposure)**

| Product/ingredient name | Category   | Route of exposure | Target organs    |
|-------------------------|------------|-------------------|------------------|
| Isopropyl alcohol       | Category 3 | -                 | Narcotic effects |
| Thinning Solvent        | Category 3 | -                 | Narcotic effects |

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

**Information on the likely routes of exposure** : Dermal contact. Eye contact. Inhalation. Ingestion.

**Potential acute health effects**

- Eye contact** : Causes serious eye irritation.
- Inhalation** : Toxic if inhaled. Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.
- Skin contact** : Causes mild skin irritation. Defatting to the skin.
- Ingestion** : May be harmful if swallowed. Can cause central nervous system (CNS) depression.

**Symptoms related to the physical, chemical and toxicological characteristics**

- Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness

**Continued on next page**

## Section 11. Toxicological information

- Inhalation** : Adverse symptoms may include the following:  
nausea or vomiting  
headache  
drowsiness/fatigue  
dizziness/vertigo  
unconsciousness
- Skin contact** : Adverse symptoms may include the following:  
irritation  
redness  
dryness  
cracking
- Ingestion** : No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

#### Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

#### Potential chronic health effects

Not available.

- General** : Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Reproductive toxicity** : No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

| Route              | ATE value     |
|--------------------|---------------|
| Oral               | 4815.27 mg/kg |
| Inhalation (gases) | 1041.3 ppm    |

## Section 12. Ecological information

### Toxicity

| Product/ingredient name  | Result                               | Species                                            | Exposure |
|--------------------------|--------------------------------------|----------------------------------------------------|----------|
| Isopropyl alcohol        | Acute EC50 10100 mg/l Fresh water    | Daphnia - Daphnia magna                            | 48 hours |
|                          | Acute LC50 1400000 µg/l Marine water | Crustaceans - Crangon crangon                      | 48 hours |
| bis(2-butoxyethyl) ether | Acute LC50 4200 mg/l Fresh water     | Fish - Rasbora heteromorpha                        | 96 hours |
|                          | Acute LC50 134 mg/l Marine water     | Crustaceans -<br>Chaetogammarus marinus -<br>Young | 48 hours |
| succinic acid            | Acute EC50 374200 µg/l Fresh water   | Daphnia - Daphnia magna -<br>Larvae                | 48 hours |
| Thinning Solvent         | Acute LC50 32 mg/l Marine water      | Crustaceans - Artemia salina                       | 48 hours |
|                          | Acute LC50 18000 µg/l Fresh water    | Fish - Pimephales promelas                         | 96 hours |

Continued on next page

## Section 12. Ecological information

### Persistence and degradability

Not available.

### Bioaccumulative potential

| Product/ingredient name  | LogP <sub>ow</sub> | BCF | Potential |
|--------------------------|--------------------|-----|-----------|
| Isopropyl alcohol        | 0.05               | -   | low       |
| bis(2-butoxyethyl) ether | 1.92               | -   | low       |
| succinic acid            | -0.59              | -   | low       |
| Thinning Solvent         | 2.3                | -   | low       |

### Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>) : Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

|                            | UN                                                                                       | IMDG                                                                                     | IATA                                                                                       |
|----------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| UN number                  | UN1219                                                                                   | UN1219                                                                                   | UN1219                                                                                     |
| UN proper shipping name    | Isopropanol solution                                                                     | Isopropanol solution                                                                     | Isopropanol solution                                                                       |
| Transport hazard class(es) | 3<br> | 3<br> | 3<br> |
| Packing group              | II                                                                                       | II                                                                                       | II                                                                                         |
| Environmental hazards      | No.                                                                                      | No.                                                                                      | No.                                                                                        |
| Additional information     | -                                                                                        | -                                                                                        | -                                                                                          |

Continued on next page

## Section 14. Transport information

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## Section 15. Regulatory information

### China

SDS complies with the General Rules for Classification and Hazardous Communication of Chemicals GB-13690-2009, GB-30000 series, and GB/T 16438-2008.

### List of Goods banned for Importing

None of the components are listed.

### Drug Precursors Requiring an Import/Export License

None of the components are listed.

### Inventory of Hazardous Chemicals

| Ingredient name  | Status |
|------------------|--------|
| 2-Propanol       | Listed |
| Thinning Solvent | Listed |

### List of Explosive Precursors

None of the components are listed.

### List of Goods banned for Exporting

None of the components are listed.

### List of Toxic Chemicals Severely Restricted for Importing & Exporting by China

None of the components are listed.

### Catalogue and classification of drug precursor chemicals

None of the components are listed.

### Inventory of Highly Toxic Articles

None of the components are listed.

### Catalogue of Hazardous Chemicals of Priority Management

None of the components are listed.

### Catalogue of Occupational Disease Hazard Factors - Dust

None of the components are listed.

### Catalogue of Occupational Disease Hazard Factors - Chemical Factors

None of the components are listed.

### Other China Regulations

Catalogue of Hazardous Chemicals (2015)  
Classification & code of dangerous goods (GB 6944-2012)  
Production Safety Law of the People's Republic of China  
Law of the People's Republic of China on Prevention and Control of Occupational Diseases  
Environmental Protection Law of the People's Republic of China  
Regulation on Work Safety Licenses  
Classification of transportation packing type of dangerous goods GB/T 15098-2008  
General rules for classification and hazardous communication of chemicals GB 13690-2009  
List of Dangerous Goods GB12268-2012  
Occupational Exposure Limits (OELs) for hazardous chemicals GBZ 2.1-2007  
Hazardous Chemicals Safety Management Ordinance China (2013 revised)  
Safety data sheet for chemical products: content & order of sections GB/T 16483-2008  
Rules for classification and labelling of chemicals GB30000-2013

**Continued on next page**

## Section 15. Regulatory information

Guidance on the compilation of safety data sheet for chemical products GB/T 17519-2013

### Japan

#### Fire Service Law

| Class       | Product name/Property | Hazard category | Precautionary statement    | Designated quantity |
|-------------|-----------------------|-----------------|----------------------------|---------------------|
| Category IV | Class I petroleum     | II              | Flammable - Keep Fire Away | 200 L               |

#### ISHL

None of the components are listed.

Organic solvents : Class 2  
poisoning prevention

#### Substances requiring labelling

| Ingredient name  | %         | Status |
|------------------|-----------|--------|
| Propyl alcohol   | ≥80 - ≤90 | Listed |
| Thinning Solvent | ≤10       | Listed |

#### Chemicals requiring notification

| Ingredient name  | %         | Status |
|------------------|-----------|--------|
| Propyl alcohol   | ≥80 - ≤90 | Listed |
| Thinning Solvent | ≤10       | Listed |

#### Guideline for Preventing Health Hazard by chemical substances (Carcinogenicity)

None of the components are listed.

#### Mutagen

None of the components are listed.

Dangerous Substances : Inflammable

#### Chemical Substances Control Law (CSCL)

|                               |        |                     |
|-------------------------------|--------|---------------------|
| Isopropyl alcohol; 2-Propanol | 80-100 | Priority assessment |
|-------------------------------|--------|---------------------|

#### Poisonous and Deleterious Substances

None of the components are listed.

#### Pollutant Release and Transfer Registers (PRTR)

None of the components are listed.

### Republic of Korea

#### A. Regulation according to ISHA

ISHA article 117 : None of the components are listed.  
(Harmful substances prohibited from manufacture)

ISHA article 118 : None of the components are listed.  
(Harmful substances requiring permission)

Article 2 of Youth Protection Act on Substances Hazardous to Youth : Not applicable.

Continued on next page

## Section 15. Regulatory information

### Exposure Limits of Chemical Substances and Physical Factors

The following components have an OEL:

Isopropyl alcohol  
Thinning Solvent

**ISHA Enforcement Regs** : None of the components are listed.

**Annex 19 (Exposure standards established for harmful factors)**

**ISHA Enforcement Regs** : None of the components are listed.

**Annex 21 (Harmful factors subject to Work Environment Measurement)**

**ISHA Enforcement Regs** : None of the components are listed.

**Annex 22 (Harmful Factors Subject to Special Health Check-up)**

**Standard of Industrial Safety and Health** : None of the components are listed.

**Annex 12 (Hazardous substances subject to control)**

### **B. Regulation according to Chemicals Control Act**

**CCA Article 11 (TRI)** : None of the components are listed.

**Article 18 Prohibited (K-Reach Article 27)** : None of the components are listed.

**Article 19 Subject to authorization (K-Reach Article 25)** : None of the components are listed.

**Article 20 Toxic Chemicals (K-Reach Article 20)** : Not applicable

| Ingredient name                    | CAS number | % |
|------------------------------------|------------|---|
| None of the components are listed. |            |   |

**Article 20 Restricted (K-Reach Article 27)** : None of the components are listed.

**CCA Article 39 (Accident Precaution Chemicals)** :

| Ingredient name                    | CAS number | % |
|------------------------------------|------------|---|
| None of the components are listed. |            |   |

**Existing Chemical Substances Subject to Registration** :

| Ingredient name                    | CAS number | % |
|------------------------------------|------------|---|
| None of the components are listed. |            |   |

**C. Dangerous Materials Safety Management Act** : **Class:** Class 4 - Flammable Liquid  
**Item:** 2. Class 1 petroleums - Water-insoluble liquid

**Threshold:** 200 L

**Danger category:** II

**Signal word:** Contact with sources of ignition prohibited

**D. Wastes regulation** : Dispose of contents and container in accordance with all local, regional, national and international regulations.

## Section 15. Regulatory information

### Malaysia

#### Poison Act, Poison List - Schedule 1

Not applicable.

#### Poison Act, Poison List - Schedule 3

Not applicable.

### Singapore

#### Singapore - hazardous chemicals under government control

None.

### Taiwan

SDS complies with the Regulation of Labeling and Hazard Communication of Hazardous Chemicals

#### TCCSCA List of toxic chemicals

Not applicable.

#### TCCSCA List of concerned chemicals

Not applicable.

**OSHA Enforcement Rules Article 28** : This product contains substances "Specially hazardous to health": Isopropyl alcohol, Thinning Solvent.

**List of chemicals reputed to be a "threat of imminent danger"** : This product contains substances considered to be a "Threat of imminent danger": Isopropyl alcohol, Thinning Solvent.

**OSHA Article 29** : None of the components are listed.

**OSHA Article 30** : None of the components are listed.

**Regulation Governing Designation and Handling Permission of Controlled Chemicals** : Not applicable

### International regulations

#### Inventory list

|                          |                                          |
|--------------------------|------------------------------------------|
| <b>Australia</b>         | : All components are listed or exempted. |
| <b>Canada</b>            | : All components are listed or exempted. |
| <b>China</b>             | : All components are listed or exempted. |
| <b>Japan</b>             | : All components are listed or exempted. |
| <b>New Zealand</b>       | : All components are listed or exempted. |
| <b>Philippines</b>       | : All components are listed or exempted. |
| <b>Republic of Korea</b> | : All components are listed or exempted. |
| <b>Taiwan</b>            | : All components are listed or exempted. |
| <b>United States</b>     | : All components are listed or exempted. |

## Section 16. Other information

### History

**Date of issue/Date of revision** : 2/23/2025

**Date of previous issue** : No previous validation

**Version** : 1

Continued on next page

## Section 16. Other information

Regulatory Affairs Department  
enthone.msds@macdermidenthone.com

### Key to abbreviations

: ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
N/A = Not available  
SGG = Segregation Group  
UN = United Nations

### Procedure used to derive the classification

| Classification                                                 | Justification         |
|----------------------------------------------------------------|-----------------------|
| FLAMMABLE LIQUIDS - Category 2                                 | On basis of test data |
| ACUTE TOXICITY (oral) - Category 5                             | Calculation method    |
| ACUTE TOXICITY (inhalation) - Category 3                       | Calculation method    |
| SKIN CORROSION/IRRITATION - Category 3                         | Calculation method    |
| SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A               | Calculation method    |
| SPECIFIC TARGET ORGAN TOXICITY (Narcotic effects) - Category 3 | Calculation method    |

### References

: Not available.

Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.